

8600132

<u>TO ALL TO WHOM THESE; PRESENTS; SHALL, COME;</u>

Pioneer Hi-Bred International, Inc.

Withereas, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, therefore, this certificate of plant variety protection is to grant UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLI-CANT(S) FOR THE TERM OF eighteen YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EX-CLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT TY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

CORN

' PHZ51'

In Lestimony Wincreof, I have hereunto set my hand and caused the seal of the Wlaut Variety Protection Office to be affixed at the City of Washington. D.C. 31st day of March

the year of our Lord one thousand nine hundred and eighty-seven.

Plant Variety Protection Office

ricultural Marketing Service

U.S. DEPARTMENT OF AGRICULTU	JRE 4. 5 Parations and allowing the	FORM APPROVED: OMB NO. 0581-0055
AGRICULTURAL MARKETING SERV		Application is required in order to determine if a plant variety protection certificate is to
APPLICATION FOR PLANT VARIETY PROTE	CTION CERTIFICATE	be issued (7 U.S.C. 2421). Information is
(Instructions on reverse)		held confidential until certificate is issued (7 U.S.C. 2426).
1. NAME OF APPLICANT(S)	2. TEMPORARY DESIGNATION	3. VARIETY NAME
Pioneer Hi-Bred International, Inc.	villus i se	PHZ51
4. ADDRESS (Street and No. or R.F.D. No., City, State, and Zip Code)	5. PHONÉ (Include area code)	FOR OFFICIAL USE ONLY
Plant Breeding Division	F15/270 2200	PVPO NUMBER
Department of Corn Breeding PO Box 85, Johnston, IA 50131-0085		8600132
	ME (Botanical)	DATE
** ***********************************	945 N. P.	
Zea mays Gramin	ieae	⊒ TIME
		/-2.30 A.M. P.M.
8. KIND NAME	DATE OF DETERMINATION	AMOUNT FOR FILING
A March for Englishmen in Visit Bridge		9 5 1800
Corn the same and the second section as a second section of the second section	1984	DATE 1006
10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM	OF ORGANIZATION (Corporation	DATE JUNE 5 1986 AMOUNT FOR CERTIFICATE
partnership, association, etc.)	of officiality	\$ 20000 H DATE
Corporation of the median of specimens of the control of the contr		Tebruary 19, 1987
11. IF INCORPORATED, GIVE STATE OF INCORPORATION		12. DATE OF INCORPORATION
13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), I	SANV TO SERVE IN THE ARRIVE	May 6, 1926
Dr. Richard L. McConnell Plant Breeding Division	F ANY, TO SERVE IN THIS APPLIC	ATION AND RECEIVE ALL PAPERS
ridit precuring bivibion	y and the first of the second	and the second of the control of the second
Pioneer Hi-Bred International, Inc. PO Box 85		•
Johnston, IA 50131-0085	PHONE (Include are	ea code): 515/270-3363
14. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMIT		
a. Exhibit A, Origin and Breeding History of the Variety (See	Section 52 of the Plant Variety Pro	tection Act.)
c. Exhibit C, Objective Description of Variety (Request form d. Exhibit D, Additional Description of Variety.	from Plant Variety Protection Office	re.) Transport of the state of
e. Exhibit E, Statement of the Basis of Applicant's Ownership	managan yang sa	er er er er grenne grenne Magille
15. DOES THE APPLICANT(S) SPECIFY THAT SEED OF THIS VARI		ONLY AS A CLASS OF CERTIFIED
SEED? (See Section 83(a) of the Plant Variety Protection Act.)		items 16 and 17 below) X No
16. DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE LIMITED AS TO NUMBER OF GENERATIONS?	17. IF "YES" TO ITEM 16, V BEYOND BREEDER SEE	WHICH CLASSES OF PRODUCTION
Yes No	Foundation	Registered Certified
18. DID THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECTI	ON OF THE VARIETY IN THE U.	S.? Yes (If "Yes," give date)
		X No
19. HAS THE VARIETY BEEN RELEASED, OFFERED FOR SALE,	OR MARKETED IN THE U.S. OR	
		Yes (If "Yes," give names of countries and dates)
		X No
20. The applicant(s) declare(s) that a viable sample of basic seeds	s of this variety will be furnished	with the application and will be re-
plenished upon request in accordance with such regulations a		
The undersigned applicant(s) is (are) the owner(s) of this sex distinct, uniform, and stable as required in Section 41, and is	ually reproduced novel plant var entitled to protection under the	iety, and believe(s) that the variety is provisions of Section 42 of the Plant
Variety Protection Act. Applicant(s) is (are) informed that false representation herein	a can inapardize protection and	racult in nenalties
SIGNATURE OF APPLICANT	T can jeopardize protection and i	DATE
Pioneer Hi-Bred International, Inc.		
SIGNATURE OF APPLICANT		DATE
by:		June 3, 1986
Kichard & Milonnell		1 2 3 3 4 3 5
FORM WA-470 (7-84) (Edition of 3-84 is obsolete.)		

'PHZ51'

14A. Exhibit A. Origin and Breeding History

Pedigree: 814/848) X1111X

Pioneer line PHZ51, Zea mays L., a yellow dent corn inbred, was developed by Pioneer Hi-Bred International, Inc. from the single cross 814 x 848 using the pedigree method of breeding. The progenitors of PHZ51 are proprietary inbred lines of Pioneer Hi-Bred International, Inc. Selfing and selection were practiced within the above cross for six generations in the development of PHZ51 at Johnston, Iowa. During line development, test crosses were made for the purpose of estimating combining ability. Additional hybrid combinations have been evaluated and subsequent generations of the line have been grown and hand pollinated with observations made for uniformity.

PHZ51 has shown uniformity and stability for all traits as described in Exhibit C (form LPGS-470-28) - "Objective Description of Variety". It has been self-pollinated and ear-rowed a sufficient number of generations with careful attention paid to uniformity of plant type to assure genetic homozygosity and phenotypic stability. The line has been increased both by hand and in isolated fields with continued observations for uniformity.

No variant traits have been observed or are expected in PHZ51.

14B. Exhibit B. Novelty Statement for 'PHZ51'

PHZ51 is most similar to the Pioneer proprietary inbred line G50. PHZ51 has yellow anthers whereas G50 has red anthers. PHZ51 also reaches anthesis later than G50. PHZ51 sheds pollen and silks approximately 40 and 70 heat units, respectively, later than G50. These observations were taken in the same experiments at many locations across the Corn Belt.

EXHIBIT C

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, POULTRY, GRAIN & SEED DIVISION BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY

CORN (ZEA MAYS)	
NAME OF APPLICANT(S) Pioneer Hi-Bred International, Inc.	FOR OFFICIAL USE ONLY
ADDRESS (Street and No. or R.F.D. No., City, State, and ZIP Code)	8600132
Plant Breeding Division	VARIETY NAME OR TEMPORARY
Department of Corn Breeding PO Box 85	DESIGNATION PHZ51
Johnston, IA 50131-0085	
Place the appropriate number that describes the varietal character of this variety in the	boxes below.
Place a zero in first box (e-g. 0 8 9 or 0 9) when number is either 99 or less or	9 or less.
1. TYPE:	
2 1=SWEET 2=DENT 3=FLINT 4=FLOUR 5=P	OP 6 = ORNAMENTAL
2. REGION WHERE BEST ADAPTED IN THE U.S.A.:	-
5 = SOUTHCENTRAL 2 = NORTHCENTRAL 3 = NORTHEAST 7 = MOST REGIONS.	4 = SOUTHEAST
	comments" (pg. 3) state how
[]]	ts were calculated)
DAYS FROM EMERGENCE TO 50% OF PLANTS IN SILK 1 5	7 0 HEAT UNITS
DAYS FROM 50% SILK TO OPTIMUM EDIBLE QUALITY	HEAT UNITS
DAYS FROM 50% SILK TO HARVEST AT 25% KERNEL MOISTURE	HEAT UNITS
4. PLANT:	
	,
2 4 7 CM. HEIGHT (To tassel tip)	8 5 CM. EAR HEIGHT (To base of top ear)
0 7 CM. LENGTH OF TOP EAR INTERNODE	
U T	
Number of Tillers: Number of Ears Per Stalk:	
1 1 = NONE 2 = 1-2 3 = 2-3 4 = $>$ 3 2 1 = SINGLE 2 =	SLIGHT TWO-EAR TENDENCY
	-EAR TENDENCY 4 = THREE-EAR TENDENCY
Cytoplasm Type:	
1 = NORMAL 2 = "T" 3 = "S" 4 = "C" 5 = OTHER	(Specify)
	(Openity)
5. LEAF (Field Corn Inbred Examples Given):	
Color:	
1 = LIGHT GREEN (HY) 2 = MEDIUM GREEN (WF9) 3 = DARK GRE	EN (B14) 4 = VERY DARK GREEN (K166
Angle from Stalk (Upper half): Sheath Pubscence:	
$\begin{bmatrix} 2 \\ 1 \end{bmatrix}$ 1 = $\langle 30^{\circ}$ 2 = 30-60° 3 = $\rangle 60^{\circ}$ $\begin{bmatrix} 1 \\ 3 \end{bmatrix}$ 1 = LIGHT (
Marginal Waves: Longitudinal Creases:	(0126)
malykipi rearcs. Longituunia Greases.	
1 = NONE (HY) 2 = FEW (WF9) 3 = MANY (OH7L) 1 1 = ABSENT	(OH51) 2 = FEW (OH56A)
3 = MANY (I	PA11)
Width: Length:	
	S NOOF 1 FAF
0 9 CM. WIDEST POINT OF EAR NODE LEAF 0 8 0 CM. EA	AR NODE LEAF
2 1 NUMBER OF LEAVES PER MATURE PLANT	200014

The Control of the Burg State of the Control of the State	Property Communication (Communication Communication Commun
6. TASSEL:	8600132
1 3 NUMBER OF LATERAL BRANCHES	and the second s
 The property of the property of t	A CONTRACT OF THE ARMS AND ARM
Branch Angle from Central Spike:	Penduncie Length:
1 = < 30° 2 = 30-40° 3 = > 45°	2 1 CM. FROM TOP LEAF TO BASAL BRANCHES
Pollen Shed:	CONTRACTOR OF THE CANADAS AND CONTRACTOR AND CONTRACTOR
Total alled	ing the second of the second o
2 1 = LIGHT (WF9) 2 = MEDIUM	3 = HEAVY(KY21)
Anther Color: 1 = YELLOW 2 = PIN	K 3= RED 4= PURPLE 5= GREEN
Glume Color: 6 = OTHER (Specify)	
	Augusta de Paragrapa de Companyo de Cara de Car
Pollen Restoration for Cytoplasms (o = Not Tested, 1 = Partial, 2 = G	Good)
0 "T" 0 "S" 0 "C"	
	OTHER (Specify Cytoplasm and degrees of restoration)
7. EAR (Husked Ear Data Except When Stated Otherwise):	
1 5 CM LENGTH 3 9 MM, MID-POINT	The state of the s
LIL DIAMETER	LIZII GM. WEIGHT
Kernel Rows:	5.11911
1 = INDISTINCT 2 = DISTINCT	1 4 NUMBER
1 - Moistinet 2 - Distinct	A CONTRACTION AND AND AND AND AND AND AND AND AND AN
	300A AMS
1 1 = STRAIGHT 2 = SLIGHTLY CURVED	3 = SPIRAL 9- JUN 5 - 1000 - 12
Silk Color (Exposed at Silking Stage):	17 Page 51
r an	N 4= RED Profession Of
1 = GREEN 2 = PINK 3 = SALMO	N 4= RED
	WITGITIS!
Husk Color:	
2 FRESH 1 = LIGHT GREEN	2 = DARK GREEN
6 DRY 4 = RED 5 = PI	URPLE :6 = BUFF
Husk Extention: (Harvest Stage)	Productions
- A - AUGRET /E	Husk Leaf: 1 = SHORT (< 8 CM) 2 = MEDIUM (8-15 CM)
3 = LONG (8-10CM Beyond Ear Tip)	3 = LONG (> 15 CM)
4 = VERY LONG (> 10 CM) Shank:	Position at Dry Husk Stage:
1 9 CM LONG 7 NO. OF INTERNODES	3 1 = UPRIGHT 2 = HORIZONTAL 3 = PENDENT
Taper: /	Drying Time (Unhusked Ear):
1 = SLIGHT 2 = AVERAGE 3 = EXTREME	1 = SLOW 2 = AVERAGE 3 = FAST
8. KERNEL (Dried):	
Size (From Ear Mid-Point):	 Control of the Control of the Control
1 0 MM LONG 0 8 MM, WIDE	MM. THICK
Shape Grade (% Rounds)	
1 = < 20 2 = 20-40 3 = 40-60	4 = 60 – 80 5 = > 80

FORM LPGS-470-28 (3-79)

Page 2 of 3

8. KERNEL (Dried) :			۶	3600132
· L	= COLORLESS	D-WHITE CROWN	•	RONZE
	= VARIEGATED (Describe)			•
Aleurone Color: 1	= HOMOZYGOUS 2 = 5	SEGREGATING (Describe)		
3 1 = WHITE	2 = PINK 3 = TAN	4 - 550464		N 7 E 6-050
7/= PURPLE			5 = BRO	NZE 6=RED
7 - FUNFLE	8 = PALE PURPLE 9 =	VARIEGATED (Describe)		· · · · · · · · · · · · · · · · · · ·
3 Endosperm Color:	1 = WHITE 2 = PALE YELLO	DW 3 = YELLOW	4 = PINK-ORANGE	5 = WHITE CAP.
Endosperm Type:		V.		
1 = SWEET (su1)	2 = EXTRA SWEET (sh2)	3 = NORMAL STAF	RCH 4 = HIGH AM	YLOSE STARCH
5 = WAXY STARCH	6 = HIGH PROTEIN	7 = HIGH LYSINE	8 = OTHER (S	pecify)
2 6 GM. WEIGHT /100 SE	EDS (Unsized Sample)			
9. COB:				
2 5 MM. DIAMETER AT I	MID-POINT	Octo		
	= STRONG	Color:	PINK 3= RED 4=	- DD Olani
2	- 31 HONG	3 1 = WHITE 2 = 5 = VARIEGATED	· · · · · · · · · · · · · · · · · · ·	· BROWN
10. DISEASE RESISTANCE (O = No	of Torted 1 m Course Alle 0 - Partition	•	O O TTIETT (Opec	1141
PISTAGE ILEGISTATION TO A MI	or rested, 1 - Susceptible, 2 = Nusion	was interant:		
2 STALK ROT (Diplodia) 2 STALK BO	T (Fusarium)	2 STALK ROT	(Gibborolla)
		(1 43414411)	31ALK NOT	(Globerena)
NORTHERN LEAF B	IGHT 1 SOUTHER	N LEAF BLIGHT	1 smut (Co	mmon)
0 SOUTHERN RUST	2 CORN SMU	(Head)	2 BACTERIAL	WILT (Stewart's)
BACTERIAL LEAF RI	البنتا	•		(becware 3
2 BACTERIAL LEAF B	(Goss')	ARF MOSAIC	0 STUNT	
OTHER (Specify)			·——	
11. INSECT RESISTANCT (O = Not	Tested 1 = Susceptible 2 = Resistan	th Tolorent:		
•	A CASACTER OF THE PARTY OF THE	& loreranc:		•
2 CORNBORER	0 EARWORM	0 SAPBI	EETLE 0	APHID
0 ROOTWORM (Northern	2 ROOTWORM (Western		L 	.3 ·
TOO THO THE TABLE	n) 2 ROOTWORM (Western	1)		
0 ROOTWORM (Southern	OTHER (Specify)	<u> </u>		
12. VARIETIES MOST CLOSELY RE	SEMBLING THAT SUBMITTED FO	D THE CHARACTERS OF		
CHARACTER				· · · · · · · · · · · · · · · · · · ·
	VARIETY	CHARACTER		RIETY
Maturity Blant Type	G50	Kernel Type	G50	<u> </u>
Plant Type	G50	Quality (Edible)	NA NA	
Ear Type	G50	Usage	G50	
REFERENCES: U.S. Department Agricul	ture. Yearbook 1937.			
Corn: Culture, Processin	g, Products. 1970 Avi Publishing Co	mpany, Westport, Connectic	ut. (Numerous (Authors)	
Emerson, R.A., G.W. Bea	die, and A.C. Fraser. A Summary of	Linkage Studies in Maize.Co.		35.
The Mutants of Maize. 1	968. Crop Science Society of Ameri	ca. Madison, Wisconsin.		
	nbred Lines of Ohio, Ohio A.E.S. Bu			
Butler, D.R. 1954 — A S	ystem for the Classification of Corn	Inbred Lines - PhD. Thesis,	Ohio State University.	
	are accumulated from d		and the second s	
HI = Maximum LO = Minimum	m air temperature in E m air temperature in E = (HI + LO)/2 - 50, bu	ahrenheit, but no	ot greater than a	86.
Treat ourses .	(III 10//2 - 30, DU	is nor ress Eusu () • · · · · · · · · · · · · · · · · · ·	~ .

FORM LPGS-470-28 (3-79)

14D. Exhibit D. Additional Description of 'PHZ51'

PHZ51 is a yellow dent inbred line of corn, Zea mays L.

As an inbred per se, PHZ51 is similar to the Pioneer proprietary inbred G50. However, there are some distinguishable differences between the two inbreds as stated in Exhibit B. When crossed to the same tester, other differences between these two inbreds include: PHZ51 is 5% higher yielding, carries 5% of the mean more grain moisture at harvest time, is 3% later to shed, has 3% better stalk quality, has 34% better late season plant health, is 3% lower in test weight, is 10% poorer for grain quality, is 4% better for growth after emergence, is 7% taller in plant height and 8% higher eared than G50.


For comparative purposes, data are attached with comparisons of PHZ51 to Pioneer inbred line G50 (crossed to the same tester line and evaluated in the same locations).

Comparison of PHZ51 and G50 crossed to the same tester line and the hybrids evaluated at the same locations. All values are expressed as percent of the test mean except yield, which is expressed as bushels/acre adjusted to 15.5% grain moisture (1985 data).

Ear Height	330	107	66	∞
Plant Height	330	107	100	7
Seedling Vigor	384	110	96	7
Cob Scores	114	103	110	7
Grain Quality	447	66	109	10
Test Weight	621	66	102	3
Stay Green	366	133	66	34
Ears/Plot	249	98	101	3
Root Lodging	237	102	101	H
Stalk Lodging	603	106	103	က
con syeq	141	103	100	က
Моіsture	624	66	94	5
Percent Yield	624	103	98	5
Yield	624	153	145	8
pərqu <u>ī</u>		PHZ51	650	
	No. of Reps.			Diff.


14D. Exhibit D. Additional Description of 'PHZ51' (continued)

a. Whole plant




14D. Exhibit D. Additional Description of 'PHZ51' (continued)

b Tassel



14D. Exhibit D. Additional Description of 'PHZ51' (continued)

c. Ear



14E. Exhibit E. Statement of Basis of Applicant's Ownership of 'PHZ51'

Pioneer Hi-Bred International, Inc., Des Moines, Iowa, is the employer of the plant breeders involved in the development and evaluation of PHZ51. Pioneer Hi-Bred International, Inc. has the sole rights and ownership of PHZ51.